



Dean, Ouisha <ouisha.dean@solvay.com>

Fwd: Boiler Comparison

2 messages

Brown, Tim <tim.brown@solvay.com>

Thu, Oct 31, 2013 at 11:59 AM

To: Jim Phillip <Jim.Phillip@solvay.com>, David Hansen <david.hansen@solvay.com>, Ryan Schmidt <ryan.schmidt@solvay.com>, Ouisha Toenyes <ouisha.toenyes@solvay.com>, Steven Wojtaszek <Steven.Wojtaszek@solvay.com>, Rodger Steen <rgsteen@airsci.com>, Tim Martin <tmartin@airsci.com>
Cc: Shyla Allen <shyla.allen@solvay.com>, Errol Pitre <errol.pitre@solvay.com>, Patrick Williams <patrick.williams@solvay.com>

Finally some good news from the EPA....

----- Forwarded message -----

From: **Law, Donald** <Law.Donald@epa.gov>
Date: Thu, Oct 31, 2013 at 11:47 AM
Subject: RE: Boiler Comparison
To: "Brown, Tim" <tim.brown@solvay.com>

Just got a reply back from HQ. looks like we are good to go with what you submitted. I'll be brushing up the latest round of their comments and hopefully have it out for final concurrence later this afternoon or Monday.

From: Brown, Tim [mailto:tim.brown@solvay.com]
Sent: Thursday, October 31, 2013 10:52 AM
To: Law, Donald
Subject: Re: Boiler Comparison

Thanks DJ

We appreciate your help.

Tim

On Thu, Oct 31, 2013 at 10:50 AM, Law, Donald <Law.Donald@epa.gov> wrote:

I have mentioned that to them repeatedly.

From: Brown, Tim [mailto:tim.brown@solvay.com]

SOLVAY2016_1.2_001515

Sent: Thursday, October 31, 2013 10:14 AM
To: Law, Donald
Cc: Jim Phillip
Subject: Re: Boiler Comparison

Thanks DJ.

They are aware that our project is just an existing boiler and not an EGU project?

Tim

On Thu, Oct 31, 2013 at 9:56 AM, Law, Donald <Law.Donald@epa.gov> wrote:

Tim,

I shot an email off to HQ after we talked yesterday relaying what we had discussed on the phone. The people I have been talking to about this permit are also involved with the public listening sessions that have been going on this week on the GHG NSPS for existing EGUs. I'm hopeful they will shoot an email back to me today or tomorrow.

From: Brown, Tim [<mailto:tim.brown@solvay.com>]
Sent: Wednesday, October 30, 2013 4:21 PM
To: Law, Donald
Subject: Boiler Comparison

DJ,

Attached is a letter addressing the question you had regarding the boiler efficiencies. Please let me know if this is what you need.

Thanks,

—

Tim Brown

Environmental Services Supervisor

(307) 872-6570

tim.brown@solvay.com

SOLVAY2016_1.2_001516

All technical advice and recommendations provided, if any, are intended for the use by persons having the appropriate education and skill. Solvay Chemicals, Inc. and its affiliates shall not be liable for any use or non-use of such advice and/or recommendations. Users of our products are solely responsible for the design, construction and operation of their own facilities.

This message and any attachments is intended for the named addressee(s) only and may contain information that is privileged and/or confidential. If you receive this message in error, please delete it and immediately notify the sender. Any copying, dissemination or disclosure, either whole or partial, by a person who is not the named addressee is prohibited. We use virus scanning software but disclaim any liability for viruses or other devices which remain in this message or any attachments.

Ce message, ainsi que toute pièce jointe, est exclusivement adressé au(x) destinataire(s) nommé(s) et peut contenir des informations confidentielles. Si vous recevez ce message par erreur, merci de le détruire et d'en avertir immédiatement l'émetteur. Toute copie, transmission ou divulgation, intégrale ou partielle, par une personne qui n'est pas nommée comme destinataire est interdite. Nous utilisons un logiciel anti-virus mais nous déclinons toute responsabilité au cas où des virus, ou tout autre procédé, seraient contenus dans ce message ou toute pièce jointe.

—

Tim Brown

Environmental Services Supervisor

(307) 872-6570

tim.brown@solvay.com

All technical advice and recommendations provided, if any, are intended for the use by persons having the appropriate education and skill. Solvay Chemicals, Inc. and its affiliates shall not be liable for any use or non-use of such advice and/or recommendations. Users of our products are solely responsible for the design, construction and operation of their own facilities.

This message and any attachments is intended for the named addressee(s) only and may contain information that is privileged and/or confidential. If you receive this message in error, please delete it and immediately notify the sender. Any copying, dissemination or disclosure, either whole or partial, by a person who is not the named addressee is prohibited. We use virus scanning software but disclaim any liability for viruses or other devices which remain in this message or any attachments.

Ce message, ainsi que toute pièce jointe, est exclusivement adressé au(x) destinataire(s) nommé(s) et peut contenir des informations confidentielles. Si vous recevez ce message par erreur, merci de le détruire et d'en avertir immédiatement l'émetteur. Toute copie, transmission ou divulgation, intégrale ou partielle, par une personne qui n'est pas nommée comme destinataire est interdite. Nous utilisons un logiciel anti-virus mais nous déclinons toute responsabilité au cas où des virus, ou tout autre procédé, seraient contenus dans ce message

SOLVAY2016_1.2_001517

ou toute piece jointe.

—

Tim Brown

Environmental Services Supervisor

(307) 872-6570

tim.brown@solvay.com

All technical advice and recommendations provided, if any, are intended for the use by persons having the appropriate education and skill. Solvay Chemicals, Inc. and its affiliates shall not be liable for any use or non-use of such advice and/or recommendations. Users of our products are solely responsible for the design, construction and operation of their own facilities.

This message and any attachments is intended for the named addressee(s) only and may contain information that is privileged and/or confidential. If you receive this message in error, please delete it and immediately notify the sender. Any copying, dissemination or disclosure, either whole or partial, by a person who is not the named addressee is prohibited. We use virus scanning software but disclaim any liability for viruses or other devices which remain in this message or any attachments.

Ce message, ainsi que toute piece jointe, est exclusivement adresse au(x) destinataire(s) nomme(s) et peut contenir des informations confidentielles. Si vous recevez ce message par erreur, merci de le detruire et d'en avvertir immediatement l'emetteur. Toute copie, transmission ou divulgation, integrale ou partielle, par une personne qui n'est pas nommee comme destinataire est interdite. Nous utilisons un logiciel anti-virus mais nous denions toute responsabilite au cas ou des virus, ou tout autre procede, seraient contenus dans ce message ou toute piece jointe.

—

Tim Brown

Environmental Services Supervisor

(307) 872-6570

tim.brown@solvay.com

All technical advice and recommendations provided, if any, are intended for the use by persons having the appropriate education and skill. Solvay Chemicals, Inc. and its affiliates shall not be liable for any use or non-use of such advice and/or recommendations. Users of our products are solely responsible for the design, construction and operation of their own facilities.

Jim Phillip <jim.phillip@solvay.com>

Thu, Oct 31, 2013 at 12:05 PM

To: "Brown, Tim" <tim.brown@solvay.com>

Cc: David Hansen <david.hansen@solvay.com>, Ryan Schmidt <ryan.schmidt@solvay.com>, Ouisha Toenyes <ouisha.toenyes@solvay.com>, Steven Wojtaszek <Steven.Wojtaszek@solvay.com>, Rodger Steen

SOLVAY2016_1.2_001518

2/29/2016

Solvay Mail - Fwd: Boiler Comparison

<rgsteen@airsci.com>, Tim Martin <tmartin@airsci.com>, Shyla Allen <shyla.allen@solvay.com>, Errol Pitre <errol.pitre@solvay.com>, Patrick Williams <patrick.williams@solvay.com>

So, given what he said, when does that mean the public notice would hit the paper?

[Quoted text hidden]

SOLVAY2016_1.2_001519